





700 SERIES ALUMINUM WINDOWS




the Difference is Clear.




Peak Head



Rake Head




Triangle




Eyebrow




Ellipse




Round Head




Welded Round Head




1/4 Eyebrow



1/4 Round Head



Bullseye



Octagon



710 SINGLE HUNG WINDOWS

701 PICTURE WINDOWS



Standard Features:

- 5/8" overall glazing
- Dual weather seal at lock rail
- Block and tackle sash balance
- Dual sweeplocks on windows 2' and wider
- Interior drop in glazing
- Integrally extruded nailing fins
- Optional divided lites
- 2 7/16" frame depth with 1 3/8" nail fin set back
- 10 year glass warranty

Specifications:

Performance grade R40

Glazing Options Available:


Cardinal Glass Low E2

NFRC Ratings:

		U-Value	SHGC	VLT
710 SH	High Performance (w/o grid)	0.55	0.36	0.60
710 SH	High Performance (w/ grid)	0.56	0.33	0.53

Available Colors:

White, Bronze, Grey



Standard Features:

- 5/8" overall glazing
- Integrally extruded nailing fins
- Optional divided lites
- 2 7/16" frame depth with 1 3/8" nail fin set back
- 10 year glass warranty
- Exterior glaze with extruded aluminum glazing bead on the outside
- Universal Sill

Special Shapes Available:

- Eyebrow
- Quarter Eyebrow
- Quarter Round
- Round head
- Welded round head
- Peakhead
- Triangle
- Octagon
- Bullseye
- Ellipse
- Rake head

Specifications:

Performance grade R40

Glazing Options Available:


Cardinal Glass Low E2

NFRC Ratings:

		U-Value	SHGC	VLT
701 PW	High Performance (w/o grid)	0.46	0.39	0.66
701 PW	High Performance (w/ grid)	0.48	0.35	0.59

Available Colors:

White, Bronze, Grey



Buying ENERGY STAR® certified products is an easy way to help protect the environment and save money on utility bills.



Buying ENERGY STAR® certified products is an easy way to help protect the environment and save money on utility bills.

722 HORIZONTAL SLIDER WINDOWS

210 SERIES SLIDING PATIO DOORS



Standard Features:

- 3/8" overall glazing
- Dual Sweeplocks
- Interior drop in glazing
- Integrally extruded nailing fins
- Optional divided lites
- 2 7/16" frame depth with 1 3/8" nail fin set back
- 10 year glass warranty
- Sloped sill with extruded roller track

Specifications:

Performance Grade R20

Glazing Options Available:


Cardinal Glass Low E2

NFRC Ratings:

		U-Value	SHGC	VLT
722 HS	High Performance (w/o grid)	0.56	0.32	0.58
722 HS	High Performance (w/ grid)	0.57	0.29	0.52

Available Colors:

White, Bronze, Grey



Standard Features:

- Adjustable steel rollers
- Matching door handle
- Optional divided lites
- 10 year glass warranty
- 3/4" overall glazing

Specifications:

Performance grade R20

Glazing Options Available:



Cardinal Glass Low E2

NFRC Ratings:

		U-Value	SHGC	VLT
210 PD	High Performance (w/o grid)	0.50	0.37	0.63
210 PD	High Performance (w/ grid)	0.50	0.33	0.55

Available Colors:

White, Bronze, Grey



Buying ENERGY STAR® certified products is an easy way to help protect the environment and save money on utility bills.



Buying ENERGY STAR® certified products is an easy way to help protect the environment and save money on utility bills.

Builders First Source Window Size Specifications

701 Picture Window Sizes

Call Size	Frame Size	Call Size	Frame Size	Call Size	Frame Size
1010	11 ¹ / ₄ x 11 ¹ / ₄	2610	29 ¹ / ₄ x 11 ¹ / ₄	4010	47 ¹ / ₄ x 11 ¹ / ₄
1016	11 ¹ / ₄ x 17 ¹ / ₄	2616	29 ¹ / ₄ x 17 ¹ / ₄	4016	47 ¹ / ₄ x 17 ¹ / ₄
1020	11 ¹ / ₄ x 23 ¹ / ₄	2620	29 ¹ / ₄ x 23 ¹ / ₄	4020	47 ¹ / ₄ x 23 ¹ / ₄
1026	11 ¹ / ₄ x 29 ¹ / ₄	2626	29 ¹ / ₄ x 29 ¹ / ₄	4026	47 ¹ / ₄ x 29 ¹ / ₄
1030	11 ¹ / ₄ x 35 ¹ / ₄	2630	29 ¹ / ₄ x 35 ¹ / ₄	4030	47 ¹ / ₄ x 35 ¹ / ₄
1036	11 ¹ / ₄ x 41 ¹ / ₄	2636	29 ¹ / ₄ x 41 ¹ / ₄	4036	47 ¹ / ₄ x 41 ¹ / ₄
1040	11 ¹ / ₄ x 47 ¹ / ₄	2640	29 ¹ / ₄ x 47 ¹ / ₄	4040	47 ¹ / ₄ x 47 ¹ / ₄
1046	11 ¹ / ₄ x 53 ¹ / ₄	2646	29 ¹ / ₄ x 53 ¹ / ₄	4046	47 ¹ / ₄ x 53 ¹ / ₄
1050	11 ¹ / ₄ x 59 ¹ / ₄	2650	29 ¹ / ₄ x 59 ¹ / ₄	4050	47 ¹ / ₄ x 59 ¹ / ₄
1056	11 ¹ / ₄ x 65 ¹ / ₄	2656	29 ¹ / ₄ x 65 ¹ / ₄	4056	47 ¹ / ₄ x 65 ¹ / ₄
1060	11 ¹ / ₄ x 71 ¹ / ₄	2660	29 ¹ / ₄ x 71 ¹ / ₄	4060	47 ¹ / ₄ x 71 ¹ / ₄
1066	11 ¹ / ₄ x 77 ¹ / ₄	2666	29 ¹ / ₄ x 77 ¹ / ₄	4066	47 ¹ / ₄ x 77 ¹ / ₄
1070	11 ¹ / ₄ x 83 ¹ / ₄	2670	29 ¹ / ₄ x 83 ¹ / ₄	4070	47 ¹ / ₄ x 83 ¹ / ₄
1076	12 ¹ / ₄ x 89 ¹ / ₄	2676	29 ¹ / ₄ x 89 ¹ / ₄	4076	47 ¹ / ₄ x 89 ¹ / ₄
1080	13 ¹ / ₄ x 95 ¹ / ₄	2680	29 ¹ / ₄ x 95 ¹ / ₄	4080	47 ¹ / ₄ x 95 ¹ / ₄
1610	17 ¹ / ₄ x 11 ¹ / ₄	3010	35 ¹ / ₄ x 11 ¹ / ₄	4610	53 ¹ / ₄ x 11 ¹ / ₄
1616	17 ¹ / ₄ x 17 ¹ / ₄	3016	35 ¹ / ₄ x 17 ¹ / ₄	4616	53 ¹ / ₄ x 17 ¹ / ₄
1620	17 ¹ / ₄ x 23 ¹ / ₄	3020	35 ¹ / ₄ x 23 ¹ / ₄	4620	53 ¹ / ₄ x 23 ¹ / ₄
1626	17 ¹ / ₄ x 29 ¹ / ₄	3026	35 ¹ / ₄ x 29 ¹ / ₄	4626	53 ¹ / ₄ x 29 ¹ / ₄
1630	17 ¹ / ₄ x 35 ¹ / ₄	3030	35 ¹ / ₄ x 35 ¹ / ₄	4630	53 ¹ / ₄ x 35 ¹ / ₄
1636	17 ¹ / ₄ x 41 ¹ / ₄	3036	35 ¹ / ₄ x 41 ¹ / ₄	4636	53 ¹ / ₄ x 41 ¹ / ₄
1640	17 ¹ / ₄ x 47 ¹ / ₄	3040	35 ¹ / ₄ x 47 ¹ / ₄	4640	53 ¹ / ₄ x 47 ¹ / ₄
1646	17 ¹ / ₄ x 53 ¹ / ₄	3046	35 ¹ / ₄ x 53 ¹ / ₄	4646	53 ¹ / ₄ x 53 ¹ / ₄
1650	17 ¹ / ₄ x 59 ¹ / ₄	3050	35 ¹ / ₄ x 59 ¹ / ₄	4650	53 ¹ / ₄ x 59 ¹ / ₄
1656	17 ¹ / ₄ x 65 ¹ / ₄	3056	35 ¹ / ₄ x 65 ¹ / ₄	4656	53 ¹ / ₄ x 65 ¹ / ₄
1660	17 ¹ / ₄ x 71 ¹ / ₄	3060	35 ¹ / ₄ x 71 ¹ / ₄	4660	53 ¹ / ₄ x 71 ¹ / ₄
1666	17 ¹ / ₄ x 77 ¹ / ₄	3066	35 ¹ / ₄ x 77 ¹ / ₄	4666	53 ¹ / ₄ x 77 ¹ / ₄
1670	17 ¹ / ₄ x 83 ¹ / ₄	3070	35 ¹ / ₄ x 83 ¹ / ₄	4670	53 ¹ / ₄ x 83 ¹ / ₄
1676	17 ¹ / ₄ x 89 ¹ / ₄	3076	35 ¹ / ₄ x 89 ¹ / ₄	5010	59 ¹ / ₄ x 11 ¹ / ₄
1680	17 ¹ / ₄ x 95 ¹ / ₄	3080	35 ¹ / ₄ x 95 ¹ / ₄	5016	59 ¹ / ₄ x 17 ¹ / ₄
2010	23 ¹ / ₄ x 11 ¹ / ₄	3610	41 ¹ / ₄ x 11 ¹ / ₄	5020	59 ¹ / ₄ x 23 ¹ / ₄
2016	23 ¹ / ₄ x 17 ¹ / ₄	3616	41 ¹ / ₄ x 17 ¹ / ₄	5026	59 ¹ / ₄ x 29 ¹ / ₄
2020	23 ¹ / ₄ x 23 ¹ / ₄	3620	41 ¹ / ₄ x 23 ¹ / ₄	5030	59 ¹ / ₄ x 35 ¹ / ₄
2026	23 ¹ / ₄ x 29 ¹ / ₄	3626	41 ¹ / ₄ x 29 ¹ / ₄	5036	59 ¹ / ₄ x 41 ¹ / ₄
2030	23 ¹ / ₄ x 35 ¹ / ₄	3630	41 ¹ / ₄ x 35 ¹ / ₄	5040	59 ¹ / ₄ x 47 ¹ / ₄
2036	23 ¹ / ₄ x 41 ¹ / ₄	3636	41 ¹ / ₄ x 41 ¹ / ₄	5046	59 ¹ / ₄ x 53 ¹ / ₄
2040	23 ¹ / ₄ x 47 ¹ / ₄	3640	41 ¹ / ₄ x 47 ¹ / ₄	5050	59 ¹ / ₄ x 59 ¹ / ₄
2046	23 ¹ / ₄ x 53 ¹ / ₄	3646	41 ¹ / ₄ x 53 ¹ / ₄	5056	59 ¹ / ₄ x 65 ¹ / ₄
2050	23 ¹ / ₄ x 59 ¹ / ₄	3650	41 ¹ / ₄ x 59 ¹ / ₄	5060	59 ¹ / ₄ x 71 ¹ / ₄
2056	23 ¹ / ₄ x 65 ¹ / ₄	3656	41 ¹ / ₄ x 65 ¹ / ₄	5066	59 ¹ / ₄ x 77 ¹ / ₄
2060	23 ¹ / ₄ x 71 ¹ / ₄	3660	41 ¹ / ₄ x 71 ¹ / ₄	5070	59 ¹ / ₄ x 83 ¹ / ₄
2066	23 ¹ / ₄ x 77 ¹ / ₄	3666	41 ¹ / ₄ x 77 ¹ / ₄		
2070	23 ¹ / ₄ x 83 ¹ / ₄	3670	41 ¹ / ₄ x 83 ¹ / ₄		
2076	23 ¹ / ₄ x 89 ¹ / ₄	3676	41 ¹ / ₄ x 89 ¹ / ₄		
2080	23 ¹ / ₄ x 95 ¹ / ₄	3680	41 ¹ / ₄ x 95 ¹ / ₄		

210 Series Sliding Patio Door

Call Size	Frame Size
5069	59 ¹ / ₂ x 79 ⁷ / ₈
6069	71 ¹ / ₂ x 79 ⁷ / ₈
8069	95 ¹ / ₂ x 79 ⁷ / ₈

710 Single Hung Sizes

Call Size	Frame Size
1630	17 ¹ / ₄ x 35 ¹ / ₄
1636	17 ¹ / ₄ x 41 ¹ / ₄
1640	17 ¹ / ₄ x 47 ¹ / ₄
1646	17 ¹ / ₄ x 53 ¹ / ₄
1650	17 ¹ / ₄ x 59 ¹ / ₄
1656	17 ¹ / ₄ x 65 ¹ / ₄
1660	17 ¹ / ₄ x 71 ¹ / ₄
1666	17 ¹ / ₄ x 77 ¹ / ₄
1670	17 ¹ / ₄ x 83 ¹ / ₄
1676	18 ¹ / ₄ x 89 ¹ / ₄
1680	19 ¹ / ₄ x 95 ¹ / ₄
2030	23 ¹ / ₄ x 35 ¹ / ₄
2036	23 ¹ / ₄ x 41 ¹ / ₄
2040	23 ¹ / ₄ x 47 ¹ / ₄
2046	23 ¹ / ₄ x 53 ¹ / ₄
2050	23 ¹ / ₄ x 59 ¹ / ₄
2056	23 ¹ / ₄ x 65 ¹ / ₄
2060	23 ¹ / ₄ x 71 ¹ / ₄
2066	23 ¹ / ₄ x 77 ¹ / ₄
2070	23 ¹ / ₄ x 83 ¹ / ₄
2076	23 ¹ / ₄ x 89 ¹ / ₄
2080	23 ¹ / ₄ x 95 ¹ / ₄
2630	29 ¹ / ₄ x 35 ¹ / ₄
2636	29 ¹ / ₄ x 41 ¹ / ₄
2640	29 ¹ / ₄ x 47 ¹ / ₄
2646	29 ¹ / ₄ x 53 ¹ / ₄
2650	29 ¹ / ₄ x 59 ¹ / ₄
2656	29 ¹ / ₄ x 65 ¹ / ₄
2660	29 ¹ / ₄ x 71 ¹ / ₄
2666	29 ¹ / ₄ x 77 ¹ / ₄
2670	29 ¹ / ₄ x 83 ¹ / ₄
2676	29 ¹ / ₄ x 89 ¹ / ₄
2680	29 ¹ / ₄ x 95 ¹ / ₄
2830	31 ¹ / ₄ x 35 ¹ / ₄
2836	31 ¹ / ₄ x 41 ¹ / ₄
2840	31 ¹ / ₄ x 47 ¹ / ₄
2846	31 ¹ / ₄ x 53 ¹ / ₄
2850	31 ¹ / ₄ x 59 ¹ / ₄
2856	31 ¹ / ₄ x 65 ¹ / ₄
2860	31 ¹ / ₄ x 71 ¹ / ₄
2866	31 ¹ / ₄ x 77 ¹ / ₄
2870	31 ¹ / ₄ x 83 ¹ / ₄
2876	31 ¹ / ₄ x 89 ¹ / ₄
2880	31 ¹ / ₄ x 95 ¹ / ₄

722 Horizontal Slider Sizes

Call Size	Frame Size	Call Size	Frame Size
3030	35 ¹ / ₄ x 35 ¹ / ₄	4010	47 ¹ / ₄ x 11 ¹ / ₄
3036	35 ¹ / ₄ x 41 ¹ / ₄	4016	47 ¹ / ₄ x 17 ¹ / ₄
3040	35 ¹ / ₄ x 47 ¹ / ₄	4020	47 ¹ / ₄ x 23 ¹ / ₄
3046	35 ¹ / ₄ x 53 ¹ / ₄	4026	47 ¹ / ₄ x 29 ¹ / ₄
3050	35 ¹ / ₄ x 59 ¹ / ₄	4030	47 ¹ / ₄ x 35 ¹ / ₄
3056	35 ¹ / ₄ x 65 ¹ / ₄	4036	47 ¹ / ₄ x 41 ¹ / ₄
3060	35 ¹ / ₄ x 71 ¹ / ₄	4040	47 ¹ / ₄ x 47 ¹ / ₄
3066	35 ¹ / ₄ x 77 ¹ / ₄	4046	47 ¹ / ₄ x 53 ¹ / ₄
3070	35 ¹ / ₄ x 83 ¹ / ₄	4050	47 ¹ / ₄ x 59 ¹ / ₄
3076	35 ¹ / ₄ x 89 ¹ / ₄	5010	59 ¹ / ₄ x 11 ¹ / ₄
3080	35 ¹ / ₄ x 95 ¹ / ₄	5016	59 ¹ / ₄ x 17 ¹ / ₄
3630	41 ¹ / ₄ x 35 ¹ / ₄	5020	59 ¹ / ₄ x 23 ¹ / ₄
3636	41 ¹ / ₄ x 41 ¹ / ₄	5026	59 ¹ / ₄ x 29 ¹ / ₄
3640	41 ¹ / ₄ x 47 ¹ / ₄	5030	59 ¹ / ₄ x 35 ¹ / ₄
3646	41 ¹ / ₄ x 53 ¹ / ₄	5036	59 ¹ / ₄ x 41 ¹ / ₄
3650	41 ¹ / ₄ x 59 ¹ / ₄	5040	59 ¹ / ₄ x 47 ¹ / ₄
3656	41 ¹ / ₄ x 65 ¹ / ₄	5046	59 ¹ / ₄ x 53 ¹ / ₄
3660	41 ¹ / ₄ x 71 ¹ / ₄	5050	59 ¹ / ₄ x 59 ¹ / ₄
3666	41 ¹ / ₄ x 77 ¹ / ₄	6010	71 ¹ / ₄ x 11 ¹ / ₄
3670	41 ¹ / ₄ x 83 ¹ / ₄	6016	71 ¹ / ₄ x 17 ¹ / ₄
3676	41 ¹ / ₄ x 89 ¹ / ₄	6020	71 ¹ / ₄ x 23 ¹ / ₄
3680	41 ¹ / ₄ x 95 ¹ / ₄	6026	71 ¹ / ₄ x 29 ¹ / ₄
4030	47 ¹ / ₄ x 35 ¹ / ₄	6030	71 ¹ / ₄ x 35 ¹ / ₄
4036	47 ¹ / ₄ x 41 ¹ / ₄	6036	71 ¹ / ₄ x 41 ¹ / ₄
4040	47 ¹ / ₄ x 47 ¹ / ₄	6040	71 ¹ / ₄ x 47 ¹ / ₄
4046	47 ¹ / ₄ x 53 ¹ / ₄	6046	71 ¹ / ₄ x 53 ¹ / ₄
4050	47 ¹ / ₄ x 59 ¹ / ₄	6050	71 ¹ / ₄ x 59 ¹ / ₄
4056	47 ¹ / ₄ x 65 ¹ / ₄		
4060	47 ¹ / ₄ x 71 ¹ / ₄		
4066	47 ¹ / ₄ x 77 ¹ / ₄		
4070	47 ¹ / ₄ x 83 ¹ / ₄		
4076	47 ¹ / ₄ x 89 ¹ / ₄		
4080	47 ¹ / ₄ x 95 ¹ / ₄		

